

# Dräger Saver CF Compressed Air Escape

The Dräger Saver CF constant flow Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, this hood-based, constant flow breathing device can be used with minimal training.



## **Benefits**

#### When time is of the essence

In emergency situations, conditions can deteriorate rapidly. The air is suddenly filled with smoke or toxic fumes and rapid escape is the only available option. The Dräger Saver CF is highly visible and was designed to be suitable even for people with spectacles or facial hair. When opened, the Saver CF is automatically activated and begins feeding a continuous supply of breathing air. The Saver CF gives the wearer the precious additional time needed to exit the area safely.

#### Highly visible, even under adverse conditions

Available with either a soft bag or hard case, the Saver CF can be easily wall-mounted in strategic locations in potentially hazardous areas. Both black anti-static cases or bright orange bags feature photoluminescent panels and reflective stripes for enhanced visibility, even under low lighting conditions. The Saver CF is compact and lightweight and can be warn either as a chest bag or over the shoulder. Made from highly resistant materials, it is washable, flame retardant and allows water to drain freely.

#### Up to 15 minutes of lifesaving air

The Dräger Saver CF utilizes a simple, fail-safe reducer system with excellent flow characteristics, providing a consistent rate of air flow until the cylinder is completely empty. An alarm whistle sounds before the air supply is exhausted. It can be equipped with cylinders which can hold either a 10 or 15 minute supply of air. The flame-retardant hood incorporates a large visor for maximum peripheral vision.

#### New options for added safety and durability

The SE version includes a newly developed elastic neck seal which offers unparalleled resistance to the effects of high temperatures, ozone and diesel fumes, which are often found in places such as engine rooms. This translates to years of reliable, worry-free service, even under adverse conditions. Standard Dräger Saver CF15 units can also be retrofitted with the SE option.

### Low-maintenance protection

The Dräger Saver CF requires very little service or maintenance. A transparent window on both the soft bag and hard case lets you check the cylinder pressure gauge easily without unpacking the unit. You know the Saver CF is there for you when you need it.

#### Conforms to relevant standards and norms

The Dräger Saver CF complies with EN1146 (2005), Lloyd's Register Certificate of Fire Approval and Lloyd's Register Certificate of Type Approval. It also complies with SOLAS Chapter II-2, the Marine Equipment Directive, the Pressure Equipment Directive and ISO 23269-1:2008. Anti-static versions are also suitable for use in explosive atmospheres (zone 0).

# Accessories



## **Safety Wash**



## Storage cabinets



## **Anti-static bags**

Anti-static bag for Saver CF15 – Order No: 33 60 340 Anti-static bag for Saver CF10 – Order No: 33 60 339 Anti-static bag for Saver CF15 SE – Order No: 33 60 341



# Single unit storage box

# Accessories



## Security tab



Dräger Saver Waistbelt

# **Related Products**



## Dräger Oxy® 3000/6000

Robust and always under control: the oxygen self-rescuers Dräger Oxy® 3000 and 6000 are designed to handle the harshest conditions. Their new product concept reliably protects the internal functional unit against damage. The Safety Eye provides an additional level of security: the status window allows the user to assess whether the device is operational within seconds.

# **Related Products**



## Dräger Saver PP

The Saver PP positive pressure Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments, even if  $H_2S$  is present. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.

# Technical Data

		Dräger Saver CF	10/CF15	Dräger Sa	aver CF15 CC
Dimensions (H x L x T)		260 x 510 x 190 mm		260 x 560 x 190 mm	
Cylinder charging pressure		200 bar		200 bar	
Airflow to the hood		35 – 37 L/min		35 – 37 L	_/min
Operating temperature range Approvals		-15°C to +60°C  EN1146:2005, ISO 23269-1:2008, ISO 23269-4:2011, SOLAS Chapter II-2, the Marine Equipment Directive and the Pressure Equipment Directive. The Dräger Saver CF hard case and anti-static soft bag versions are suitable for use in explosive atmospheres (zone 0).		-15°C to +60°C EN1146:2005, ISO 23269-1:2008, SOLAS Chapter II-2, the Marine Equipment Directive and the Pressure Equipment Directive.	
Weight (Kg) including cylinder					
Hard case	5.9 kg		6.9 kg		-
Soft bag	4.2 kg		5.2 kg		4.5 kg
Cylinder	2 L 200	bar (Aluminium)	3 L 200 bar (Steel)		3 L 200 bar
					(Carbon composite)

# Ordering Information

## Dräger Saver CF – Soft bag versions

Saver CF10	33 59 734
Saver CF15	33 59 735
Saver CF10 Anti-static	33 59 736
Saver CF15 Anti-static	33 59 737
Saver CF15 (SE)	33 59 742
Saver CF15 (SE) Anti-static	33 59 743
Saver CF 15 CC	33 60 789
Dräger Saver CF – Hard case versions	
Saver CF10	33 59 739
Saver CF15	33 57 940
Saver CF15 (SE)	33 59 744
Accessories	
Saver waistbelt	33 50 396
Security tab	33 50 388
Wall mounting kit for carry case	33 50 431
Carry case	33 50 424
Storage wall box	33 51 823
Wall bracket (for hard case versions)	33 60 516
Safety Wash	
1 litre dispenser	33 80 164
1 litre refill	33 80 165
5 litre dispenser	33 80 166
5 litre refill	33 80 167

Notes

# Notes

Not all products, features, or services are for sale in all countries.

Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.