



E-book

Advanced gas
detection is evolving

Table of contents

For decades, advanced gas detection has evolved by adding capability.	04
You already have advanced detection. Why does it still feel incomplete?	05
Advanced detection is built across separate systems	06
The challenge of disconnected detection workflows	07
Detection provides signals. Decisions require context.	08
From screening to identification	09
The direction of advanced gas detection is starting to change	10
Where detection adapts in real time	11
Different users. Shared need for continuity.	12
The future of detection isn't just more devices. It's a better system.	13

From fragmented systems to a more unified detection approach

Why advanced detection can feel incomplete – and how a platform-based approach is reshaping how detection is applied in the field.



For decades, advanced gas detection has evolved by adding capability.

More sensors. More devices.
More workflows.


On paper, this expansion has supported increasingly sophisticated detection programs. Each addition has addressed a specific measurement need, extending the range of hazards that can be identified and monitored.

In practice, this approach can introduce complexity. As capability expands across separate systems, workflows may require multiple instruments, measurement approaches can vary, and teams may need to interpret results across different sensing methods. In time-sensitive environments, that complexity can affect how confidently decisions are made.

A shift is starting to take shape. Rather than continuing to add capability through separate tools, more attention is being placed on how those capabilities work together.

Honeywell ModRAE™ is built around this idea. Rather than treating advanced gas detection as a collection of separate tools, it's designed as a configurable platform that brings together capabilities that advanced users already manage across multiple devices.

The question is no longer whether detection is advanced. It's whether detection is adaptable, easy to interpret and able to support decisions under pressure.



You already have advanced detection. Why does it still feel incomplete?

Across safety programs, advanced detection is already standard practice.


PID-based instruments are used to screen for volatile organic compounds. Multi-gas monitors track atmospheric hazards. Compound-specific workflows are used when targeted measurement is required. Area monitoring systems extend visibility across broader work sites.

These tools are well established, technically capable and widely trusted. What becomes visible over time is not a lack of capability, but a lack of continuity.

Detection workflows often move between devices. Measurement data may be interpreted across different sensing methods. Operational decisions depend on how effectively those tools are aligned in real-time.

The system works – but it works in pieces. That’s where advanced detection can begin to feel incomplete.

Gas detection is not the issue. Fragmentation is.



Advanced detection is built across separate systems

Advanced detection did not become fragmented by accident. It evolved this way over time.

Each new requirement introduced a new tool:

- VOC screening
- Targeted compound measurement
- Multi-gas monitoring
- Area visibility

Each one solved a specific problem. But when those capabilities are distributed across separate systems, the overall workflow becomes dependent on coordination rather than continuity.

As environments become more dynamic, that structure can introduce friction. Not because the tools are insufficient, but because the system connecting them has not evolved at the same pace.



Detection provides signals. Decisions require context.

Gas detection instruments are designed to measure environmental conditions with sensitivity and precision. Interpreting those measurements is where complexity begins.

Photoionization detection illustrates this clearly. PID technology uses ultraviolet energy to ionize gas molecules, producing a signal that reflects the presence of volatile compounds. This makes it effective for broad screening, especially in environments where hazards are not fully known.

However, a PID response typically reflects a combined signal from multiple ionizable compounds. It indicates that something is present – but not necessarily what that substance is.

In many environments, that distinction matters.

Teams are not only asking whether something is there. They're asking what it is, how much is present and what action should follow.



From screening to identification: Where advanced detection workflows often split

In many scenarios, detection begins with screening and moves toward more targeted analysis.

A PID reading may indicate the presence of VOCs, but when benzene is a concern, that signal alone is not sufficient. Because benzene is detected within a broader VOC response, additional steps are typically required to separate and measure it more precisely.

This progression introduces changes in process. Different methods are used. Additional setup steps are required. Interpretation becomes more specific to the compound being measured.

These transitions are common in advanced detection environments. They also highlight a broader pattern.

Detection workflows often operate as a sequence of separate tasks – screening, separation, and compound-specific measurement – rather than as a continuous system.

Where this matters most
Detection structure becomes most visible in real-world applications.

In fenceline monitoring, teams need broad visibility across large areas while still maintaining actionable insight at specific locations.

In remediation and fumigation processes, the challenge is not only detecting gases, but assessing residual conditions, supporting cleanup activities and evaluating when re-entry conditions are acceptable.

In confined space and industrial safety workflows, decisions must be made in real-time, often with multiple hazards present.

In these environments, detection does not stay in one mode. Requirements evolve throughout the operation, often moving from screening to more targeted analysis.

The systems supporting detection are increasingly expected to evolve with them.



When capability meets continuity

The direction of advanced gas detection is starting to change.



Instead of expanding capability through additional devices, the focus is shifting toward integrating capabilities within a single system.

This is not about replacing existing detection methods. Screening, identification and compound-specific measurement remain essential.

What's changing is how those capabilities are brought together.

A more unified approach can also help simplify the operational side of advanced detection. As organizations add devices to address different monitoring requirements, complexity can increase across training, maintenance, inventory management and day-to-day deployment. By bringing multiple detection capabilities together within a common platform framework, teams can support greater consistency across users, sites and applications while reducing dependence on separate instrument ecosystems.

A platform designed to support continuous detection workflows

For teams already using advanced gas detection, Honeywell ModRAE represents a platform-based approach designed to simplify how those capabilities are applied.

Instead of dividing detection across multiple instruments, the platform supports configurable sensing within a single device framework.

This includes:

- Modular cartridge-based sensing aligned to different applications
- The ability to adjust configurations without changing platforms
- Support for both broad screening and more targeted measurement workflows

The intent is not to change how advanced detection works – but to support how it's applied across different environments with fewer interruptions.

Where detection adapts in real time

In advanced gas detection, the challenge is rarely a lack of capability. It is the effort required to apply that capability consistently across different tasks, environments and moments within an operation.



A unified platform approach helps reduce that friction by allowing detection to adapt without requiring users to move between systems. Instead of switching devices mid-operation, sensing configurations can be adjusted within the same framework.

This is where modularity becomes meaningful. Quick-release smart cartridges enable fast changes, allowing teams to move from one detection need to another without interrupting the flow of work.

This flexibility extends beyond a single mode of use. Detection workflows may begin with personal monitoring, expand to area visibility and include remote or hard-to-access locations. Connectivity plays a central role, supporting deployment across ground-level use, perimeter monitoring and applications such as drones and robotic systems.

Consistency between users is another key factor. NFC-enabled device assignment and user-level configuration allow devices to be aligned to specific roles, permissions and workflows – helping reduce variability across teams.



At the same time, the interface and guided workflows are designed to support how detection is carried out in the field.

As measurement tasks become more complex, particularly when moving from screening to compound-specific analysis, a clearer experience can help reduce errors and improve consistency.

Taken together, these capabilities include:

- Modularity that supports rapid, in-field configuration
- Connectivity across personal, area and remote deployments
- NFC-based device assignment aligned to users and workflows
- Guided workflows that support consistent execution

The result is a detection experience that is more continuous and connected – one that moves with the operation as it evolves.

Different users. Shared need for continuity.

Different roles approach the same environment with different priorities, but they face a similar challenge: maintaining consistency across complex workflows.

Industrial hygienists balance broad exposure monitoring with more targeted analysis. Screening for VOCs is often only the first step, and tasks like benzene measurement require additional precision. Moving between these workflows can introduce variability that affects both efficiency and interpretation.

Safety managers experience this at scale. Managing multiple tools across teams and sites can increase complexity in training, standardization and day-to-day operations.

For first responders and hazmat teams, the challenge is more immediate. Environments are often unknown, conditions change quickly and decisions must be made with limited time and incomplete information.

This is where a unified detection approach becomes relevant. Advanced detection is already in place. The shift is not in capability – it's in how that capability is brought together.



The future of detection isn't just more devices. It's a better system.

Advanced gas detection has expanded significantly over time. New sensors, workflows and measurement techniques have made detection programs more capable and more specialized.

What's changing now is not whether advanced detection is necessary – it's how it's structured.

Honeywell ModRAE is designed to support a more continuous, configurable approach – aligned with how work is performed across industrial hygiene, safety and response applications.

Advanced detection isn't incomplete.

It's just not yet connected.

ModRAE helps bring those pieces together.





For more information
<https://automation.honeywell.com/>
© 2026 Honeywell International Inc.

Honeywell Technologies
2101 CityWest Blvd
Houston, TX 77042
www.honeywell.com