



3M™ DBI-SALA® ExoFit NEX™ Harnesses

The ExoFit NEX harness gives workers the freedom and confidence to function to their maximum.

Innovative safety devices and design features allow workers to work smart, fast and safe increasing productivity. Designed using soft yet extremely durable anti-absorbent, abrasion resistant webbing of lasting strength, harnesses can withstand the most severe demands, day in, day out. They are built to perform to the highest standards in the harshest environments. 140 kg capacity.

Applications



Moulded Lanyard Keepers

Easy holstered snap hooks breakaway to avoid trip hazard.



Covered Labels

A Velcro® cover protects harness labels.



3M™ DBI-SALA® Duo-Lok™ Quick Connect Buckles

Lightweight one-handed use with memory-fit web-lock ensures fast, non-slipping connections.



3M™ DBI-SALA® Revolver™ Vertical Torso Adjusters

Simple and fast adjustments that eliminate loose ends and lock into place, preventing slippage.



3M™ DBI-SALA® Repel™ Technology Webbing

Water repellent to reduce attraction of mould and dirt - also has up to 5 times more abrasion resistance.



Integrated Suspension Relief Straps

Provide an adjustable, continuous loop for post fall, offering suspension relief.



Stand Up Dorsal D-ring

Patented spring-loaded design automatically stands-up, ensuring fast, easy and safe connections to your fall arrest system.



Built-in Impact Indicators

Rip-stitch indicators allow you to inspect the harness at a glance, for prior damaging impact loads.



Weight Capacity

140 kg.



3M™ DBI-SALA® ExoFit NEX™ Harness



Best Seller
1113902

	↔	DL	DL	kg
1113900	S	DL	DL	1.86
1113901	M	DL	DL	1.91
1113902	L	DL	DL	1.95
1113903	XL	DL	DL	2.00

ExoFit NEX Harness with Belt



	↔	DL	DL	DL	kg
1113910	S	DL	DL	DL	2.75
1113911	M	DL	DL	DL	2.81
1113912	L	DL	DL	DL	2.86
1113913	XL	DL	DL	DL	2.92

3M™ DBI-SALA® ExoFit NEX™ Wind Energy Harness with Belt



	↔	DL	DL	TG	kg
1113215	S	DL	DL	TG	3.00
1113216	M	DL	DL	TG	3.05
1113217	L	DL	DL	TG	3.10

ExoFit NEX Wind Energy Harness with Belt



	↔	DL	DL	DL	kg
1113925	S	DL	DL	DL	3.00
1113926	M	DL	DL	DL	3.05
1113927	L	DL	DL	DL	3.10

ExoFit NEX Utilities Harness



	↔	DL	DL	kg
1113996	S	DL	DL	3.30
1113997	M	DL	DL	3.50
1113998	L	DL	DL	3.50

ExoFit NEX Wind Energy Harness



	↔	DL	DL	kg
1113210	S	DL	DL	1.86
1113211	M	DL	DL	1.91
1113212	L	DL	DL	1.95

ExoFit NEX Oil & Gas Harness



	↔	PT	PT	PT	kg
1114016	M	PT	PT	PT	4.00
1114017	L	PT	PT	PT	4.10
1114018	XL	PT	PT	PT	4.20

3M™ DBI-SALA® ExoFit™ Derrick Harness



*Seat sling not included. Please see page 25 for seat sling.

	↔	QC	TG	TG	kg
KB1111621	M	QC	TG	TG	3.50
KB1111622	L	QC	TG	TG	3.55
KB1111623	XL	QC	TG	TG	3.60



3M™ DBI-SALA® ExoFit NEX™ Suspension Harness



- TL
- CP
- S
- EN358
- EN361
- EN813

Best Seller
1113962

	↔	⊗	⊙	kg
1113960	S	DL	DL	2.20
1113961	M	DL	DL	2.30
1113962	L	DL	DL	2.40
1113963	XL	DL	DL	2.50

ExoFit NEX Suspension Harness with Chest Ascender



- TL
- CP
- S
- EN358
- EN361
- EN567
- EN813
- EN12841 CLASS B

	↔	⊗	⊙	kg
1114026	S	DL	DL	2.30
1114027	M	DL	DL	2.40
1114028	L	DL	DL	2.50
1114029	XL	DL	DL	2.60



3M™ DBI-SALA® ExoFit NEX™ XP Personal Flotation Device Harness - SOLAS

CE EN361

	↔	⊗	⊙	kg
1109820	S	PT	PT	3.15
1109821	M	PT	PT	3.20
1109822	XL	PT	PT	3.30

3M™ DBI-SALA® ExoFit™ Derrick Harness Monkey Board Belt

Use with harness KB1111621, KB1111622, and KB1111623 (See page 23).



CE EN358
CE EN813

	kg
KB01000570	1.81

Back Pack
Blue and grey.



	kg
KK053	0.44

3M™ DBI-SALA® Webbing Pole Strap



CE EN354

	↔	kg
KM4040W	40 cm	0.19

Suspension Trauma Safety Straps

Suspension relief safety straps for full body harness.



	kg
9501403	0.14

ExoFit Aluminium Seat Sling

Use with harness KB1111621, KB1111622 and KB1111623 (See page 23).



	↔	kg
KB01150064	S	1.55
KB01150068	M	1.60
KB01150069	L	1.60