

TRACKER II

HIGH PROTECTION

Ultra-comfortable and technical TRACKER provides protection from all mechanical risks and also chemical risks making it unique in the safety glasses range.



Removable foam



40085



40086



40087



40088



40089



1.8 oz

SUPPLIED WITH

Microfibre pouch
40107



OPTIONAL

Optical insert only single vision
40090



AVAILABLE IN
RX

- + UPPER & LOWER PROTECTION**
- + REMOVABLE FOAM REINFORCEMENT WITH INDIRECT VENTILATION**
- + SIDE VENTILATION**
- + OPTIONAL FOAM & ADJUSTABLE STRAP**

bolle
SAFETY

TRACKER II

HIGH PROTECTION

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
TRACKER II	 Clear	40085	☞ Z87+ U6	☞ Z87+ D3	Anti-scratch /Anti-fog
	 Smoke	40086	☞ Z87+ U6S	☞ Z87+ D3	Anti-scratch /Anti-fog
	 Yellow	40087	☞ Z87+ U6S	☞ Z87+ D3	Anti-scratch /Anti-fog
	 TWILIGHT	40088	☞ Z87+ U6S	☞ Z87+ D3	Anti-scratch /Anti-fog
	 Welding shade 5	40089	☞ Z87+ W5	☞ Z87+ D3	Anti-scratch
	 RX Adapter	40090	-	-	-
	 Foam & strap kit	TRACKITFS	-	-	-

LENS MARKING

- **Crown** = Manufacturer Mark
- **Z87+** = Impact rated for Plano product - tested and approved to ANSI Z81.1-2015
- **Lens type**
 - Clear = none
 - Welding = W and Shade number from 1,3 to 14
 - UV filter = U and scale number from 2 to 6
 - Visible light filter = L and scale number from 1,3 to 10
 - IR filter = R and scale number from 1n3 to 10
 - Variable tint = V
 - Special purpose = S

⚠ WARNING: Reproductive Harm – www.P65Warnings.ca.gov

TECHNOLOGY


PLATINUM

The new exclusive scratch and fog resistant coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

TWILIGHT

The Twilight technology offers the advantages of ESP with a double anti-fog coating (on both sides of the lenses) to prevent fogging in the most challenging conditions.

Designed and used in low light conditions, it improves contrast. Its light transmission rate is perfect for outdoors, particularly early morning and late evening. Twilight filters 76% of blue light.



FRAME MARKING

- **Crown** = Manufacturer Mark
- **Z87+** = Impact rated for Plano product - tested and approved to ANSI Z81.1-2015
- **Country of origin** = China

ANSI: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

Maximum protection for glasses. Use for high speed particles at extreme temperatures.

Bollé Safety product approval certificates to ANSI standards will be sent on request.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the glasses or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

04/01/2021

Bollé Safety-USA
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
USA

bollesafety-usa.com

bollé
SAFETY

TRACKER II

HIGH PROTECTION

CHARACTERISTICS

LENSES	PC - 2,2 mm - Curve 8
FRAME	PC
TEMPLES	PC
STRAP	Nylon
FOAM	EVA

PACKAGING AND EAN13 CODE

	40085	40086	40087	40088	40089	40090
Individual plastic bag	3660740004828	3660740004835	3660740004842	xx	3660740000424	3660740000028
10 safety glasses per inner box	3660740104825	3660740104832	3660740104849	xx	3660740100421	3660740100025
240 safety glasses per outer pack	3660740204822	3660740204839	3660740204846	xx	3660740200428	3660740200022



04/01/2021

Bollé Safety-USA
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
USA

bollesafety-usa.com

bolle
SAFETY